

BLANCO

BLUE

MINT

GREY

MARENGO



Porcelain tile
Porcelánico



Diamond Polished
Diamond Pulido



Rectified
Rectificado



Hygienic and Anti-Allergenic
Higiénico y antialérgico



Fireproof
Ignífugo



Durable and resistant
Duradero y resistente



Easy maintenance
Fácil mantenimiento



Responsible
Responsable



High Shade Variation
Destonificado

BLANCO



Frozen Blanco 120x120 / 48"x48"

FROZEN

DIAMOND POLISHED PORCELAIN



Sizes / Formatos

SUPER POLISHED RECTIFIED

60x120 /
24"x48"



All mosaics
Todos los mosaicos

120x120 /
48"x48"

BLANCO





BLUE

Frozen Blue 120x120 / 48"x48"

FROZEN

DIAMOND POLISHED PORCELAIN



Sizes / Formatos

SUPER POLISHED RECTIFIED


60x120 /
24"x48"



All mosaics
Todos los mosaicos

120x120 /
48"x48"

BLUE



FROZEN

DIAMOND POLISHED PORCELAIN



Sizes / Formatos

SUPER POLISHED RECTIFIED

60x120 /
24"x48"



All mosaics
Todos los mosaicos

120x120 /
48"x48"



MINT

FROZEN

DIAMOND POLISHED PORCELAIN



Sizes / Formatos

SUPER POLISHED RECTIFIED

60x120 /
24"x48"



All mosaics
Todos los mosaicos

120x120 /
48"x48"



GREY

FROZEN

DIAMOND POLISHED PORCELAIN



Sizes / Formatos

SUPER POLISHED RECTIFIED

60x120 /
24"x48"



All mosaics
Todos los mosaicos

120x120 /
48"x48"

MARENGO



SPECIAL PIECES / PIEZAS ESPECIALES

Special angle / Ángulo gradone recto



Special step / Peldaño gradone recto



PACKING LIST



Pcs/Box
Pz/Caja



Sqm/Box
m²/Caja



Boxes/Pallet
Cajas/Palet



Sqm/Pallet
m²/Palet



Kg/Box
Kg/Caja



Kg/Pallet
Kg/Palet










	Pcs/Box Pz/Caja	Sqm/Box m ² /Caja	Boxes/Pallet Cajas/Palet	Sqm/Pallet m ² /Palet	Kg/Box Kg/Caja	Kg/Pallet Kg/Palet
120x120	1	1,44	36	51,84	36,36	1.348,96
60x120	2	1,44	32	46,08	34,25	1.121,00

GEOFILES reserves the right to modify the packing of any product reference.
GEOFILES se reserva el derecho a modificar el packing (en relación al espesor de la pieza).

GEOFILES S.L.U. operates a policy of continuous development and reserves the right to make changes to its products, colours, engineering specifications, packaging codes without prior notice. Geotiles has taken every effort to ensure that the information contained in the catalogue is correct at the time of publication. Due to the limitations of the printing process, the colours reproduced may vary slightly from the original product.

GEOFILES S.L.U. aplica una política de contínuo desarrollo de sus productos y se reserva el derecho a realizar cambios en los productos,colores,especificaciones técnicas y códigos sin previo aviso. Geotiles ha realizado un esfuerzo considerable para que toda la información sea adecuada en el momento de la publicación del catálogo. A causa de las limitaciones del proceso de impresión los colores reproducidos pueden sufrir ligeras variaciones con respecto al producto original.

TECHNICAL FEATURES / CARACTERÍSTICAS TÉCNICAS

									
STANDARD NORMES NORMAS DE ENSAYO	ISO 10545-2	ISO 10545-3	ISO 10545-4	ISO 10545-7	ISO 10545-8	ISO 10545-9	ISO 10545-12	ISO 10545-13	ISO 10545-14
VALUE REQUIRED BY EN 14411 STANDARD VALORES PRESCRITOS NORMA EN 14411		< 0,5%	> 35 N/mm ² > 1300 N	Resistance to surface abrasion Resistencia a la abrasión superficial	Test method available Método de ensayo disponible	Test method available Método de ensayo disponible	Test method available Método de ensayo disponible	Test method available Método de ensayo disponible	Test method available Método de ensayo disponible
AVERAGE VALUE VALOR MEDIO	Conforms to Standard Cumple la norma	0,1%	35-45 N/mm ² 1800-2500 N	According to models Según modelos	< 7,0 x 10 ⁻⁶ °C ⁻¹	Resists Resiste	Resists Resiste	Conforms to Standard Cumple la norma	Conforms to Standard Cumple la norma

Group Bla (gl) Water Absorption <0.5% / Grupo Bla (gl) Absorción de Agua <0.5%



Dimensional Features
Características dimensionales



Water absorption
Absorción de agua



Modulus of rupture
Resistencia a la flexión



Resistance to surface abrasion
Resistencia a la abrasión superficial



Linear thermal expansion
Dilatación térmica lineal



Thermal shock resistance
Resistencia al choque térmico



Frost resistance
Resistencia a la helada



Chemical resistance
Resistencia química
Ácidos y bases

Cleaning products and pool
reactive agents
Productos de limpieza y
reactivos de piscinas



Resistance to stains
Resistencia a las manchas