



WALL: Calacatta Copper **WA 01** 1200x2780 / 48"x110" LUC RECT
FLOOR: Saint Laurent **WA 07** 800x800 / 31½"x31½" LUC RECT

WANDERLUST

Research and exploration are the key concepts of a voyage of discovery through new material inspirations.

From Italy to France, from Brazil to Mexico and on to Madagascar, in search of uniquely beautiful elements comprised in a container of exclusive porcelain stoneware marbles.




WALL: Libeccio Antico **WA 02** 1200x2780 / 48"x110" LUC RECT

COLORI

Colours | Farben | Couleurs | Colores | Цветов | 种颜色




WALL: Saint Laurent **WA 07** 1200x2780 / 48"x110" LUC RECT
 FLOOR: LAGOON Sandshell **LG 02** 600x1200 / 24"x48" NAT RECT



Calacatta Copper
WA 01



Libeccio Antico
WA 02




Onice Brown
WA 03




Azul Puro
WA 04



Labradorite
WA 05



Dark Cosmo
WA 06



Saint Laurent
WA 07



Agata Blue
WA 08




Agata Multicolor
WA 09




Agata Black
WA 10



Siberian Malachite
WA 11



Galway Green
WA 12



Four Seasons
WA 13



WALL: Four Seasons **WA 13** 1200x2780 / 48"x110" LUC RECT
FLOOR: CLAY Fancy **CL 04** 800x800 / 31½"x31½" SP RECT
COUNTER and TABLE: Four Seasons **WA 13** LUC



WALL: Agata Multicolor **WA 09** 1200x2780 / 48"x110" LUC RECT
 FLOOR: CLAY Verve **CL 05** 600x600 / 24"x24" NAT RECT




WALL: Onice Brown **WA 03** 1200x2780 / 48"x110" LUC RECT
 FLOOR: COSMOPOLITAN White Crystal **CP 05** 1200x1200 / 48"x48" LUC RECT
 COUNTER: Saint Laurent **WA 07** LUC

COLORI

Colours | Farben | Couleurs | Cores | Цветов | 种颜色

CALACATTA COPPER **WA 01**



Formati Nominali Nominal Sizes		Superficie Finish	Spessore mm Thickness mm
800x800 / 31½"x31½"		LUC RECT	9
800x1600 / 31½"x63"		LUC RECT	9
1200x2780 / 48"x110"		LUC RECT	6

Stucchi consigliati Recommended grouts		
KERAKOLL	43	
MAPEI	132 Beige 2000	
LATICRETE	17 Marble Beige	



AZUL PURO **WA 04**



Formati Nominali Nominal Sizes		Superficie Finish	Spessore mm Thickness mm
800x800 / 31½"x31½"		LUC RECT	9
800x1600 / 31½"x63"		LUC RECT	9
1200x2780 / 48"x110"		LUC RECT	6

Stucchi consigliati Recommended grouts		
KERAKOLL	14	
MAPEI	172 Blu Spazio	
LATICRETE	91 Slate Grey	



LIBECCIO ANTICO **WA 02**



Formati Nominali Nominal Sizes		Superficie Finish	Spessore mm Thickness mm
1200x2780 / 48"x110"		LUC RECT	6

Stucchi consigliati Recommended grouts		
KERAKOLL	34	
MAPEI	142 Marrone	
LATICRETE	58 Terracotta	



LABRADORITE **WA 05**



Formati Nominali Nominal Sizes		Superficie Finish	Spessore mm Thickness mm
1200x2780 / 48"x110"		LUC RECT	6

Stucchi consigliati Recommended grouts		
KERAKOLL	11	
MAPEI	114 Antracite	
LATICRETE	45 Raven	



ONICE BROWN **WA 03**




Formati Nominali Nominal Sizes		Superficie Finish	Spessore mm Thickness mm
1200x2780 / 48"x110"		LUC RECT	6

Stucchi consigliati Recommended grouts		
KERAKOLL	36	
MAPEI	136 Fango	
LATICRETE	35 Mocha	



DARK COSMO **WA 06**



Formati Nominali Nominal Sizes		Superficie Finish	Spessore mm Thickness mm
800x800 / 31½"x31½"		LUC RECT	9
800x1600 / 31½"x63"		LUC RECT	9
1200x2780 / 48"x110"		LUC RECT	6

Stucchi consigliati Recommended grouts		
KERAKOLL	11	
MAPEI	114 Antracite	
LATICRETE	45 Raven	



COLORI

Colours | Farben | Couleurs | Colores | Цветов | 种颜色

SAINT LAURENT **WA 07**



	Formati Nominali Nominal Sizes	Superficie Finish	Spessore mm Thickness mm
	800x800 / 31½"x31½"	LUC RECT	9
	800x1600 / 31½"x63"	LUC RECT	9
	1200x2780 / 48"x110"	LUC RECT	6
	Stucchi consigliati Recommended grouts		
	KERAKOLL	11	
	MAPEI	114 Antracite	
	LATICRETE	45 Raven	

AGATA BLUE **WA 08**



	Formati Nominali Nominal Sizes	Superficie Finish	Spessore mm Thickness mm
	1200x2780 / 48"x110"	LUC RECT	6
	Stucchi consigliati Recommended grouts		
	KERAKOLL	14	
	MAPEI	172 Blu Spazio	
	LATICRETE	91 Slate Grey	

AGATA MULTICOLOR **WA 09**




	Formati Nominali Nominal Sizes	Superficie Finish	Spessore mm Thickness mm
	1200x2780 / 48"x110"	LUC RECT	6
	Stucchi consigliati Recommended grouts		
	KERAKOLL	08	
	MAPEI	112 Grigio Medio	
	LATICRETE	78 Sterling Silver	

AGATA BLACK **WA 10**




	Formati Nominali Nominal Sizes	Superficie Finish	Spessore mm Thickness mm
	1200x2780 / 48"x110"	LUC RECT	6
	Stucchi consigliati Recommended grouts		
	KERAKOLL	11	
	MAPEI	114 Antracite	
	LATICRETE	45 Raven	

SIBERIAN MALACHITE **WA 11**



	Formati Nominali Nominal Sizes	Superficie Finish	Spessore mm Thickness mm
	1200x2780 / 48"x110"	LUC RECT	6
	Stucchi consigliati Recommended grouts		
	KERAKOLL	08	
	MAPEI	112 Grigio Medio	
	LATICRETE	78 Sterling Silver	

GALWAY GREEN **WA 12**








	Formati Nominali Nominal Sizes	Superficie Finish	Spessore mm Thickness mm
	1200x2780 / 48"x110"	LUC RECT	6
	Stucchi consigliati Recommended grouts		
	KERAKOLL	18	
	MAPEI	115 Grigio Fiume	
	LATICRETE	24 Natural Grey	

COLORI

Colours | Farben | Couleurs | Colores | Цветов | 种颜色

FOUR SEASONS **WA 13**



 Formati Nominali Nominal Sizes 1200x2780 / 48"x110"	 Superficie Finish LUC RECT	 Spessore mm Thickness mm 6
		
 Stucchi consigliati Recommended grouts		
KERAKOLL	11	
MAPEI	114 Antracite	
LATICRETE	45 Raven	

MY NOTES


.....

.....

.....

.....





















.....

 **Maggiori informazioni**
More information



RIASSUNTIVO FORMATI ED IMBALLI

Summary of sizes and packaging | Übersicht über Formate und Verpackungen | Récapitulatif formats et emballages
Sinóptico de formatos y embalajes | Краткая информация о форматах и упаковках | 规格和包装概述













		± 9 mm	± 6 mm
 Formati Nominali Nominal Sizes		800x800 31½"x31½"	800x1600 31½"x63"
			1200x2780 48"x110"
Tutti i formati sono rettificati. All sizes are rectified.			
 Superficie Finish		LUC	LUC
 CALACATTA COPPER WA 01	V2	■	■
 LIBECCIO ANTICO WA 02	V2	-	-
 ONICE BROWN WA 03	V2	-	-
 AZUL PURO WA 04	V2	■	■
 LABRADORITE WA 05	V2	-	-
 DARK COSMO WA 06	V2	■	■
 SAINT LAURENT WA 07	V2	■	■
 AGATA BLUE WA 08	V2	-	-
 AGATA MULTICOLOR WA 09	V2	-	-
 AGATA BLACK WA 10	V2	-	-
 SIBERIAN MALACHITE WA 11	V2	-	-
 GALWAY GREEN WA 12	V2	-	-
 FOUR SEASONS WA 13	V2	-	-
 Peso lordo per scatola Gross weight per box		27,36	55,12
 Pezzi per scatola Pieces for box		2	2
 mq. scatola sqm. box		1,28	2,56
 Scatole / Full pallet boxes / Full pallet		48	16
 mq. pallet sqm. pallet		61,44	40,96
			Please refer to page 562

Per tutti i grandi formati è possibile prevedere, su richiesta, l'applicazione di una stuoia in fibra di vetro.
For big sizes, a fibreglass mat can be applied on request.

ACCORGIMENTI SPECIFICI PER L'APPLICAZIONE DELLE GRANDI LASTRE IN 6 MM DI SPESSORE: p. 556 | Precautions for 6mm big slabs applications: page 556 | spezifische Anweisungen zur Nutzung der Grossformate in 6mm: seite 556 | Precauciones específicas para la aplicación de las grandes placas en 6 mm de espesor: page 556 | Precautions spécifiques pour la pose des grandes plaques en 6mm d'épaisseur: página 556 | специальные предосторожности для укладки больших плит толщиной 6 мм : страница 556

PEZZI SPECIALI

Special pieces | Sonderstücke | Pièces spéciales | Piezas especiales | специальные изделия | 特殊件


	 Battiscopa*	 Gradino A*	 Gradino G*	 Gradino B ang.	 Gradino B
 Pezzi speciali Special pieces	72x800 2'7/8"x24"	330x800 13'7/8"x31'1/2"	330x800 13'7/8"x31'1/2"	330x330 13'7/8"x13'7/8"	330x800 13'7/8"x31'1/2"
 Superficie Finish	LUC	LUC	LUC	LUC	LUC
 CALACATTA COPPER WA 01	■	■	■	■	■
 AZUL PURO WA 04	■	■	■	■	■
 DARK COSMO WA 06	■	■	■	■	■
 SAINT LAURENT WA 07	■	■	■	■	■
 Pezzi per scatola Pieces for box	10	7	7	4	4

* **Finitura a becco di civetta** | One-round edge shaping | Ausführung mit Eckabrundung | Façonnage à bord rond | Acabado canto romo | Плитка с завалом | 鹰嘴边缘处理


DECORI

Decors | Dekore | Decors | Decoros | Декоры | 装饰砖

Mosaico 144 LUC
300x300 / 12"x12"
Tessere 22x22 / 4/5"x4/5"




CALACATTA COPPER
WA 01



AZUL PURO
WA 04



DARK COSMO
WA 06




SAINTE LAURENT
WA 07


Mosaico 36T LUC
300x300 / 12"x12"
Tessere 48x48 / 2"x2"




CALACATTA COPPER
WA 01



AZUL PURO
WA 04



DARK COSMO
WA 06




SAINTE LAURENT
WA 07

Foliage LUC
323x305 / 12 3/4"x12"



CALACATTA COPPER
WA 01



AZUL PURO
WA 04



DARK COSMO
WA 06



SAINTE LAURENT
WA 07

MOSAICO 36T, MOSAICO 144T, FOLIAGE:
Decoro su rete | Mesh-backed decoration | Dekor auf netz | Décor sur filet | Decoración en red | Декор в сети | 网板背帖装饰件

	Pezzi per scatola Pieces for box
Mosaico 144	6
Mosaico 36T	6
Foliage	10

CARATTERISTICHE TECNICHE

Technical specifications | Technische Eigenschaften | Caractéristiques techniques | Características técnicas | Технические характеристики | 技术特征

STANDARD EN 14411 - G

	CARATTERISTICHE TECNICHE TECHNICAL DATA TECHNISCHE DATEN CARACTERISTIQUES TECHNIQUES CARACTERÍSTICAS TÉCNICAS ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ 技术特征	NORMA STANDARD NORM NORME NORMA ЗАЧЕНИЯ 标准	VALORI PRESCRITTI DALLE NORME EN 14411 - G INTERNATIONAL STANDARDS EN 14411 - G INTERNATIONALE NORMWERTE EN 14411 - G VALEURS PREVUES PAR LES NORMES EN 14411 - G VALORES PREVISTOS POR LAS NORMAS EN 14411 - G ПРЕДУСМОТРЕННЫЕ СТАНДАРТОМ EN 14411-G EN 14411 - G标准规定值	VALORE MEDIO MIRAGE MIRAGE AVERAGE VALUE MIRAGE MITTELWERT VALEURS MOYEN MIRAGE VALORES PREVISOS POR LAS NORMAS EN 14411 - G СРЕДНЕЕ ЗНАЧЕНИЕ MIRAGE MIRAGE平均值
	CARATTERISTICHE DIMENSIONALI - SIZE CHARACTERISTICS - MASSEIGENSCHAFTEN DETERMINATION DES CARACTERISTIQUES DIMENSIONNELLES - CARACTERÍSTICAS DIMENSIONALES - РАЗМЕРНЫЕ ХАРАКТЕРИСТИКИ - 尺寸特征			LUC (GL)
	LATI SIDES - SEITEN COTES - CANTOS РАЗМЕРЫ СТОРОН - 側边	EN ISO 10545-2	± 0,3% MAX (± 1,0 mm MAX)	CONFORME COMPLYING
	SPESSORE THICKNESS - DICKE ÉPAISSEUR - ESPESOR ТОЛЩИНА - 厚度	EN ISO 10545-2	± 5,0% MAX (± 0,5 mm MAX)	CONFORME COMPLYING
	RETTILINEITÀ DEGLI SPIGOLI STRAIGHTNESS OF SIDES - GERADLINIGKEIT DER KANTEN RECTITUDE DES ARETES - RECTIDUD DE LOS CANTOS КОСОУГОЛЬНОСТЬ - 边角平直度	EN ISO 10545-2	± 0,3% MAX (± 0,8 mm MAX)	CONFORME COMPLYING
	ORTOGONALITÀ RECTANGULARITY - RECHTWINKLIGKEIT PERPENDICULARITE - ORTOGONALIDAD КРИВИЗНА СТОРОН - 直角度	EN ISO 10545-2	± 0,3% MAX (± 1,5 mm MAX)	CONFORME COMPLYING
	PLANARITÀ SURFACE FLATNESS - EBENFLÄCHIGKEIT PLANEITE DE SURFACE - PLANEIDAD КРИВИЗНА ЛИЦЕВОЙ ПОВЕРХНОСТИ - 平整度	EN ISO 10545-2	± 0,4% MAX (± 1,8 mm MAX)	CONFORME COMPLYING
	ASSORBIMENTO D'ACQUA WATER ABSORPTION - WASSERAUFNAHME ABSORPTION D'EAU - ABSORCIÓN DE AGUA ВОДОПОГЛОЩЕНИЕ - 吸水率	EN ISO 10545-3	≤ 0,5%	≤ 0,1%
	RESISTENZA ALLA FLESSIONE FLEXION RESISTANCE - BIEGEFESTIGKEIT RESISTANCE A LA FLEXIÓN - RESISTENCIA A LA FLEXIÓN ПРЕДЕЛ ПРОЧНОСТИ ПРИ ИЗГИБЕ - 抗弯强度	EN ISO 10545-4	S ≥ 700 N (< 7,5 mm) S ≥ 1.300 N (> 7,5 mm) R ≥ 0,48 N/mm ² .	≠ 6 mm: S ≥ 1.300N R ≥ 45 N/mm ² ≠ 9 mm: S ≥ 2.500N R ≥ 48 N/mm ²
	RESISTENZA ALL'URTO IMPACT RESISTANCE - STOSSFESTIGKEIT RESISTANCE AUX CHOCS - RESISTENCIA A LOS GOLPES УДАРСТОЙКОСТЬ - 抗冲击强度	EN ISO 10545-5	VALORE DICHIARATO DECLARED VALUE	> 0,80
	RESISTENZA ALL'ABRAZIONE ABRASION RESISTANCE - ABRIEFESTIGKEIT RESISTANCE A L'ABRASION - RESISTENCIA A LA ABRASION СТОЙКОСТЬ К ИСТИРАНИЮ - 耐磨强度	EN ISO 10545-6	≤ 175 mm ³	< 150 mm ³
	COEFFICIENTE DI DILATAZIONE TERMICA LINEARE COEFFICIENT OF LINEAR THERMAL-EXPANSION - LINEARER WÄRMEAUDEHNUNGSKOEFFIZIENT COEFFICIENT DE DILATATION THERMIQUE LINEAIRE - COEFICIENTE DE DILATACION TERMICA LINEAL КОЭФИЦИЕНТ ЛИНЕЙНОГО ТЕРМИЧЕСКОГО РАСШИРЕНИЯ - 线性热膨胀系数	EN ISO 10545-8	-	α 6,2x10 ⁻⁶ °C ⁻¹
	RESISTENZA AGLI SBALZI TERMICI RESISTANCE TO THERMAL SHOCKS - BESTÄNDIGKEIT GEGEN TEMPERATURSCHWANKUNGEN RESISTANCE AUX CHOCS THERMIQUES - RESISTENCIA A LOS CHOQUES TÉRMICOS СТОЙКОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ - 耐热突变性	EN ISO 10545-9	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE
	RESISTENZA AL GELO FROST RESISTANCE - FROSTBESTÄNDIGKEIT RESISTANCE AU GEL - RESISTENCIA AL HIELO МОРОЗОСТОЙКОСТЬ - 耐冻性	EN ISO 10545-12	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE
	RESISTENZA ALL'ATTACCO CHIMICO RESISTANCE TO CHEMICALS - CHEMIKALIENBESTÄNDIGKEIT RESISTANCE A L'ATTAQUE CHIMIQUE - RESISTENCIA QUIMICA ХИМИЧЕСКАЯ СТОЙКОСТЬ - 耐化学作用	EN ISO 10545-13	B MIN.	A LA
	RESISTENZA ALL'ABRAZIONE SUPERFICIALE SURFACE ABRASION RESISTANCE - ABRIEFESTIGKEIT DER OBERFLÄCHE RESISTANCE À L'ABRASION SUPERFICIELLE - RESISTENCIA A LA ABRASION SUPERFICIAL ХИМИЧЕСКАЯ СТОЙКОСТЬ - 耐表面磨损	EN ISO 10545-7	-	LUC PEI 5 (WA 01) PEI 4 (WA 04-09-10) PEI 3 (WA 02-03-05-06-07-08)
	RESISTENZA ALLE MACCHIE RESISTANCE TO STAINS - FLECKENBESTÄNDIGKEIT RESISTANCE AUX TACHES - RESISTENCIA A LAS MANCHAS УСТОЙЧИВОСТЬ К ПЯТНООБРАЗОВАНИЮ - 防污性	EN ISO 10545-14	VALORE DICHIARATO DECLARED VALUE	5
	CESSIONE DI PIOMBO E CADMIO LEAD AND CADMIUM DISCHARGE - ABGABE VON BLEI UND CADMIUM PERTE DE PLOMB ET CADMIUM - CESIÓN DE PLOMO Y CADMIO ВЫДЕЛЕНИЕ СВИНЦА И КАДМИЯ - 铅和镉的排放	EN ISO 10545-15	VALORE DICHIARATO DECLARED VALUE	< AL LIMITE DI RILEVAMENTO < THAN INSTRUMENT LIMIT
				LUC
		DM 236/89 BCRA	> 0,40	-
		ANSI A326.3	Wet and Dry	-
		AS 4586	-	-
		DIN 51130	-	-
		DIN 51097	-	-
		UNE 41901	≥ CL1	-
		BS 7976 sl.96-4S	Wet and Dry	-
		BS 7976 sl.55-TRL	Wet and Dry	-

SCIVOLOSITÀ
SKID RESISTANCE - RUTSCHWERT
GLISSANCE - ADHERENCIA
СКОЛЬЗКОСТЬ - 防滑性

Per i certificati specifici, contattare Mirage SpA - For specific certificates, please contact Mirage SpA - Für die speziellen Zertifikate wenden Sie sich bitte an Mirage SpA - Pour les certificats spécifiques, veuillez contacter Mirage SpA - Para los certificados específicos, contactar Mirage SpA - Для сертификатов обращайтесь в компанию Mirage SpA - 关于具体的证书,请联系Mirage SpA公司